

Time Synchronized Portable Muon Tagger

Jonathan Eisch

University of Wisconsin - River Falls



- ☐ Muons are nice for calibrating IceTop detectors.
- External telescopes can provide higher certainty single muons.
- □ No way to integrate external detectors in the IceCube DAQ

Jonathan Eisch - IceCube Collaboration meeting, spring 05, Berkeley, CA



- Independent gps time synchronized muon trigger to tag muons for offline analysis
- ☐ Should be small, low power, portable, easy to use.

Jonathan Eisch - IceCube Collaboration meeting, spring 05, Berkeley, CA

QNET2 DAQ


- Developed by university of Washington for the WALTA cosmic ray experiment.
- ☐ 4 input n-fold coincidence with veto
- D built in gps synchronization
 - ~100ns jitter
- I small, light, low power



Jonathan Eisch - IceCube Collaboration meeting, springs

Soekris 4801

- □ Low Power (5-10W)
- flash bootable
- 2 seríal ports,
 gpío, pcí slot, usb



Jonathan Eisch - Icecube Collaboration meeting, spring 05, Berkeley, CA

Current status

- ☐ 4801 runs custom FreeBSD with read only file system (memfs/tmp and /var)
- DA@software controls card, reads settings and records data to usb flash stick (output format?)
- additional daq cards have been ordered
- system control through serial console or ethernet



- ☐ Test entire setup with full icetop station (@bartol this summer?)
- D Finish making it portable (batteries)
- D Bring it to the pole

Jonathan Eisch - IceCube Collaboration meeting, spring 05, Berkeley, CA

The End

Input/Output

- trigger settings provided though text files
- System will begin taking data immediately when booted up, and stop when switched off/loss of power.
- □ 10 gpio pins available, lots of possibilities for buttons, lights.